	Application No.	Applicant(s)
Notice of Allowability	10/049,319	SAVICKI, ALAN F.
	Examiner	Art Unit
	James R. Brittain	3677
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>applicant's communication of June 14, 2005</u> .		
2. The allowed claim(s) is/are <u>1-17</u> .		
3. The drawings filed on 05 February 2002 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
_	Paper No./Mail Dat	e
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	,	
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9.	
\cdot		
		İ

Application/Control Number: 10/049,319

Art Unit: 3677

The following is an examiner's statement of reasons for allowance: Stolmeier et al. (US 5871281) and Herrington et al. (US 5020194) are the closest art of record and while both have the upwardly extending first length portion and inwardly extending second length portion, each either removes material from the upwardly extending first length portion as in Stolmeier et al. or slit the upwardly extending first length portion as in Herrington et al. This yields in each case a resulting structure showing a notch or slit in the upwardly extending first length portion rather than as claimed by applicant, the upwardly extending first length portion being continuous and of constant length along the entire longitudinal x-axis of the first fastening strip so as to present a unique first length in the z-axis direction from end to end. Therefore, in the teachings of both patents, the first length of the first upper flange portion is not continuous and of constant length and spanning the entire longitudinal x-axis of the first fastening strip as required by each independent claim. There is no suggestion to modify the teachings of Stolmeier et al. or Herrington et al. to have such structure as indicated by applicant in his remarks received June 14, 2005 on page 6 paragraph 3 that also refers to applicant's remarks in the response received March 14, 2005 on page 7 paragraphs 2 and 3 wherein the advantages are discussed by applicant and are commensurate with the scope of these claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3677

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James R. Brittain whose telephone number is (571) 272-7065.

The examiner can normally be reached on M-F 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, J. J. Swann can be reached on (571) 272-7075. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James R. Brittain Primary Examiner Art Unit 3677

JRB